INDEX TO AUTHORS

AFZELIUS, ULLA F. See SHELDON and ROBINSON, 401

ALLARD, CLAUDE. See DE LAMIRANDE, ALLARD, and CANTERO, 373

ALLEN, R. D., and ROSLANSKY, J. D. An anterior-posterior gradient of refractive index in the ameba and its significance in ameboid movement, 517

ALMEIDA, JUNE D. See HOWATSON and ALMEIDA, 115

ANDERSON, EVERETT, and VAN BREEMEN, V. L. Electron microscopic observations on spinal ganglion cells of *Rana pipiens* after injection of malononitrile, 83

ANSLEY, HUDSON R. Histones of mitosis and meiosis in *Loxa flavicolis* (Hemipteran), 59

ATWOOD, K. C. See WOLFF, ATWOOD, RANDOLPH, and LUIPPOLD, 365

BARNETT, RUSSELL J., and SELIGMAN, ARNOLD M. Histochemical demonstration of protein-bound α-acylamido carboxyl groups, 169

BAYLEY, S. T. See SETTERFIELD and BAYLEY, 377

BELT, W. DUANE. The origin of adrenal cortical mitochondria and liposomes: A preliminary report, 337

BENDICH, AARON. See ROSENKRANZ and BENDICH, 663

BERGERON, JOHN A., and SINGER, MARCUS. Metachromasy: An experimental and theoretical reevaluation, 433

BJORK, LOIS B. See GALL and BJORK, 479

BORNSTEIN, MURRAY B., and MURRAY, MARGARET R. Serial observations on patterns of growth, myelin formation, maintenance, and degeneration in cultures of newborn rat and kitten cerebellum, 499

BRADBURY, S., and MEEK, G. A. The fine structure of the adipose cell of the leech *Glossiphonia complanata*, 603

BRANDT, PHILIP W. See PAPPAS and BRANDT, 485

BROWN, J. H. U. See LABELLA and BROWN, 833

BRUNNER, ADOLFO, JR. See SAMPAIO, BRUNNER, and FILHO, 335

BUCK, R. C. The fine structure of endothelium of large arteries, 187

CANTERO, ANTONIO. See DE LAMIRANDE, ALLARD, and CANTERO, 373

CARO, LUCIEN G., VAN TUBERGEN, ROBERT P., and FORRO, FREDERICK, JR. The localization of deoxyribonucleic acid in *Escherichia coli*, 491

CASTIAUX, P. See PASTEELS, CASTIAUX, and VANDERMEERSSCHE, 575

CHAMBERS, EDWARD L. See MENDE and CHAMBERS, 319

CHAPMAN, GEORGE B. See HODGE and CHAPMAN, 571

CHAPPELL, J. B. See LEVER and CHAPPELL, 287

CHURG, J., MAUTNER, W., and GRISHMAN, E. Silver impregnation for electron microscopy, 841

CLARK, WALLACE H., JR., and HIBBS, RICHARD G. Electron microscope studies of the human epidermis: The clear cell of Masson (dendritic cell or melanocyte), 679

COHEN, CAROLYN. The Lotmar-Picken substance: taurine, 489

DAN, KATSUMA. See KAWAMURA and DAN, 615

DASS, C. M. S., and RIS, HANS. Submicroscopic organization of the nucleus during spermiogenesis in the grasshopper, 129

DAVIES, MAURICE C., and WALLACE, R. The use of carbon films in the culture of tissue cells for electron microscopy, 231

DE HARVEN, ÉTIENNE. A new technique for carbon films, 133

— and FRIEND, CHARLOTTE. Electron microscope study of a cell-free induced leucemia of the mouse: A preliminary report, 151

—. See EDWARDS, RUSKA, and DE HARVEN, 107, 251

DE LAMIRANDE, GASTON, ALLARD, CLAUDE, and CANTERO, ANTONIO. Intracellular distribution of 5′-nucleotidase in rat liver, 373

DE LORENZO, A. J. Electron microscopic observations on the taste buds of the rabbit, 143

DE ROBERTIS, EDUARDO, GERSCHENFELD, HERSCH M., and WALD, FLORA. Cellular mechanism of myelination in the central nervous system, 651

— and LASANSKY, ARNALDO. Submicroscopic organization of retinal cones of the rabbit, 743

— and SABATINI, D. Mitochondrial changes

in the adrenocortex of normal hamsters, 667
DIBERARDINO, MARIE. See HUNGERFORD and DIBERARDINO, 391
DIPPELL, RUTH V. The fine structure of kappa in killer stock 51 of *Paramecium aurelia*. Preliminary observations, 125
DORNFELD, ERNST J., and OWCZARZAK, ALFRED. Surface responses in cultured fibroblasts elicited by ethylenediaminetetraacetic acid, 243
DULBECCO, RENATO. See KALLMAN, WILLIAMS, DULBECCO, and VOGT, 301
DUNCAN, ROBERT E. See SCHREIBER and DUNCAN, 793

EARLE, W. R. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567
EDWARDS, GEORGE A., RUSKA, HELMUT, and DE HARVEN, ÉTIENNE. Electron microscopy of peripheral nerves and neuromuscular junctions in the wasp leg, 107
—, —, and —. Neuromuscular junctions in flight and tymbal muscles of the cicada, 251
ELLIOTT, ALFRED M., and TREMOR, JOHN W. The fine structure of the pellicle in the contact area of conjugating *Tetrahymena pyriformis*, 839
EPSTEIN, M. A. A diamond knife holder for microtomes designed to take glass knives, 539
ESSNER, EDWARD, NOVIKOFF, ALEX B., and MASEK, BERTHA. Adenosinetriphosphatase and 5-nucleotidase activities in the plasma membrane of liver cells as revealed by electron microscopy, 711
EVANS, V. J. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567

FAWCETT, DON W., and ITO, SUSUMU. Observations on the cytoplasmic membranes of testicular cells, examined by phase contrast and electron microscopy, 135
— and SELBY, CECILY C. Observations on the fine structure of the turtle atrium, 63
—. See NAPOLITANO and FAWCETT, 685
—. See REVEL, ITO, and FAWCETT, 495
FEDER, NED, and SIDMAN, RICHARD L. Methods and principles of fixation by freeze-substitution, 593
FILHO, BENEDITO OLIVEIRA. See SAMPAIO, BRUNNER, and FILHO, 335
FINCK, HENRY. An electron microscope study of of basophile substances of frozen-dried rat liver, 291
FIORAMONTI, M. C. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567
FITTON JACKSON, SYLVIA. See RANDALL and FITTON JACKSON, 807
FITZ-JAMES, PHILIP C. Cytological and chemical studies of the growth of protoplasts of *Bacillus megaterium*, 257
— and YOUNG, I. ELIZABETH. Morphological and chemical studies of the spores and parasporal bodies of *Bacillus laterosporus*, 639
FORRO, FREDERICK, JR. See CARO, VAN TUBERGEN, and FORRO, 491
FRIEND, CHARLOTTE. See DE HARVEN and FRIEND, 151

GALL, JOSEPH G., and BJORK, LOIS B. The spermatid nucleus in two species of grasshopper, 479
GERSCHENFELD, HERSCH M. See DE ROBERTIS, GERSCHENFELD, and WALD, 651
GETTNER, M. E. See HAMILTON and GETTNER, 122
GLAUERT, AUDREY M., and GLAUERT, R. H. Araldite as an embedding medium for electron microscopy, 191
GLAUERT, R. H. See GLAUERT and GLAUERT, 191
GREEN, PAUL B. Structural characteristics of developing *Nitella* internodal cell walls, 505
GRESSON, R. A. R. See THREADGOLD and GRESSON, 342
GRIGG, G. W., and HOFFMAN, H. A double embedding method giving water-permeable ultrathin sections for electron microscopy, 331
GRISHMAN, E. See CHURG, MAUTNER, and GRISHMAN, 841

HALL, CECIL E., and LITT, MICHAEL. Morphological features of deoxyribonucleic acid macromolecules as seen with the electron microscope, 1
HAMILTON, L. D., and GETTNER, M. E. Fine structure of kappa in *Paramecium aurelia*, 122
HAMILTON, MARY G. See PETERMANN and HAMILTON, 771
HANSON, J. B. See LUND, VATTER, and HANSON, 87
HARTMANN, J. FRANCIS. See RUNGE, VERNIER, and HARTMANN, 327
HAWKINS, N. M. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567
HAY, ELIZABETH D. The structure of blastema cells and differentiating cartilage cells in regenerating limbs of *Amblystoma* larvae, 583
HESS, ARTHUR. The fine structure of nerve cells and fibers, neuroglia, and sheaths of the ganglion

chain in the cockroach (*Periplaneta americana*), 731

HESS, EUGENE L., and LAGG, SAIMA E. Calf thymus composition. A comparison of differential centrifugation and chemical fractionation procedures, 717

HESS, R., SCARPELLI, D. G., and PEARSE, A. G. E. The cytochemical localization of oxidative enzymes. II. Pyridine nucleotide–linked dehydrogenases, 753

—. See SCARPELLI, HESS, and PEARSE, 747

HIBBS, RICHARD G. See CLARK and HIBBS, 679

HOBBS, G. L. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567

HODGE, MARY H., and CHAPMAN, GEORGE B. Some observations on the fine structure of the sinus gland of a land crab, *Gecarcinus lateralis*, 571

HOFFMAN, H. See GRIGG and HOFFMAN, 331

HOWATSON, ALLAN F., and ALMEIDA, JUNE D. A method for the study of cultured cells by thin sectioning and electron microscopy, 115

HUNGERFORD, DAVID A., and DIBERARDINO, MARIE. Cytological effects of prefixation treatment, 391

ITO, SUSUMU. See FAWCETT and ITO, 135

—. See REVEL, ITO, and FAWCETT, 495

JOHNSTON, PERRY M. Autoradiographic studies of the utilization of Ca^{45} by the chick embryo, 163

KALLMAN, FRANCES, WILLIAMS, ROBLEY C., DULBECCO, RENATO, and VOGT, MARGUERITE. Fine structure of changes produced in cultured cells sampled at specified intervals during a single growth cycle of polio virus, 301

KARRER, H. E. The ultrastructure of mouse lung: The alveolar macrophage, 693

KAWAMURA, NAOKO, and DAN, KATSUMA. A cytochemical study of the sulfhydryl groups of sea urchin eggs during the first cleavage, 615

KELLENBERGER, EDOUARD, and RYTER, ANTOINETTE. Cell wall and cytoplasmic membrane of *Escherichia coli*, 323

—, —, and SÉCHAUD, JANINE. Electron microscope study of DNA-containing plasms. II. Vegetative and mature phage DNA as compared with normal bacterial nucleoids in different physiological status, 671

KERR, H. A. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567

KOENIG, HAROLD. An autoradiographic study of nucleic acid and protein turnover in the mammalian neuraxis, 785

—. Uptake of adenine-8-C^{14} and orotic-6-C^{14} acid into nuclear DNA of non-dividing cells in the adult feline neuraxis, 664

LABELLA, FRANK S., and BROWN, J. H. U. Distribution of hydrolases among anterior pituitary cell fractions (Anterior pituitary hydrolases), 833

LADMAN, AARON J. The fine structure of the rod-bipolar cell synapse in the retina of the albino rat, 459

— and YOUNG, WILLIAM C. An electron microscopic study of the ductuli efferentes and rete testis of the guinea pig, 219

LAFONTAINE, JEAN G. A particulate component found in nucleoli of *Allium cepa* and *Vicia faba*, 229

—. Structure and mode of formation of the nucleolus in meristematic cells of *Vicia faba* and *Allium cepa*, 777

— and RIS, HANS. An electron microscope study of lampbrush chromosomes, 99

LAGG, SAIMA E. See HESS and LAGG, 717

LANMAN, JONATHAN T. See ROSS, PAPPAS, LANMAN, and LIND, 659

LASANSKY, ARNALDO. See DE ROBERTIS and LASANSKY, 743

LEVER, J. D., and CHAPPELL, J. B. Mitochondria isolated from rat brown adipose tissue and liver, 287

LIND, JOHN. See ROSS, PAPPAS, LANMAN, and LIND, 659

LITT, MICHAEL. See HALL and LITT, 1

LUIPPOLD, H. E. See WOLFF, ATWOOD, RANDOLPH, and LUIPPOLD, 365

LUND, H. A., VATTER, A. E., and HANSON, J. B. Biochemical and cytological changes accompanying growth and differentiation in the roots of *Zea mays*, 87

MASEK, BERTHA. See ESSNER, NOVIKOFF, and MASEK, 711

—. See SPATER, NOVIKOFF, and MASEK, 765

MATSUI, CHIAKI. Pathological cytology of tobacco leaf infected with tobacco mosaic virus III, 831

MAUTNER, W. See CHURG, MAUTNER, and GRISHMAN, 841

MCMASTER-KAYE, RACHEL, and TAYLOR, J. HERBERT. Evidence for two metabolically distinct types of ribonucleic acid in chromatin and nucleoli, 5

MEEK, G. A. See BRADBURY and MEEK, 603

MENDE, THOMAS J., and CHAMBERS, EDWARD L.

Studies on solute transfer in the vascular endothelium, 319
MENDELSOHN, MORTIMER L. The two-wavelength method of microspectrophotometry. I. A microspectrophotometer and tests on model systems, 407
—. II. A set of tables to facilitate the calculations, 415
—. III. An extension based on photographic color transparencies, 425
— and RICHARDS, BRIAN M. A comparison of scanning and two-wave-length microspectrophotometry, 707
MERRIAM, R. W. The contribution of lower oxides of osmium to the density of biological specimens in electron microscopy, 579
MEYER, ROLAND K. See SCHULTZ and MEYER, 23
MILLER, WILLIAM H. Derivatives of cilia in the distal sense cells of the retina of *Pecten*, 227
MINK, WILLIAM. See WITTER and MINK, 73
MITCHELL, ARTHUR J. See LADMAN and YOUNG, 219
MOSES, MONTROSE J. The relation between the axial complex of meiotic prophase chromosomes and chromosome pairing in a salamander (*Plethodon cinereus*), 633
MUNGER, BRYCE L. Polarization optical properties of the pancreatic acinar cell of the mouse, 177
MURRAY, MARGARET R. See BORNSTEIN and MURRAY, 499

NACHLAS, MARVIN M., WALKER, DONALD G., and SELIGMAN, ARNOLD M. The histochemical localization of triphosphopyridine nucleotide diaphorase, 467
—, —, and —. A histochemical method for the demonstration of diphosphopyridine nucleotide diaphorase, 29
NACHMIAS, VIVIANNE T., and PADYKULA, HELEN A. A histochemical study of normal and denervated red and white muscles of the rat, 47
NAPOLITANO, LEONARD, and FAWCETT, DON W. The fine structure of brown adipose tissue in the newborn mouse and rat, 685
NOVIKOFF, ALEX B. See ESSNER, NOVIKOFF, and MASEK, 711
—. See SPATER, NOVIKOFF, and MASEK, 765

ODLAND, George F. The fine structure of the interrelationship of cells in the human epidermis, 529
OWCZARZAK, ALFRED. See DORNFELD and OWCZARZAK, 243

PADYKULA, HELEN A. See NACHMIAS and PADYKULA, 47
PALADE, GEORGE E. See SIEKEVITZ and PALADE, 203, 309, 557
PAPPAS, GEORGE D., and BRANDT, PHILIP W. The fine structure of the contractile vacuole in ameba, 485
—. See ROSS, PAPPAS, LANMAN, and LIND, 659
PARKER, R. F. See SWIM and PARKER, 525
PASTEELS, J. J., CASTIAUX, P., and VANDERMEERSSCHE, G. Cytochemical localizations and ultrastructure in the fertilized unsegmented egg of *Paracentrotus lividus*, 575
PEACHEY, LEE D. Thin sections. I. A study of section thickness and physical distortion produced during microtomy, 233
—. See SATIR and PEACHEY, 345
PEARSE, A. G. E. See HESS, SCARPELLI, and PEARSE, 753
—. See SCARPELLI, HESS, and PEARSE, 747
PEPPERS, E. V. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567
PETERMANN, MARY L., and HAMILTON, MARY G. The influence of age, sex, pregnancy, starvation, and other factors on the cytoplasmic ribonucleoproteins of rat liver, 771
PLAUT, WALTER, and SAGAN, L. ALEXANDER. Incorporation of thymidine in the cytoplasm of *Amoeba proteus*, 843
—. See SAVAGE and PLAUT, 701
—. See STICH and PLAUT, 119
POMERAT, C. M. See ROSE, POMERAT, SHINDLER, and TRUNNELL, 761

QUILLIAM, T. ANDREW. New problems in the functional activity of the Pacinian corpuscle, 341

RANDALL, J. T., and FITTON JACKSON, SYLVIA. Fine structure and function in *Stentor polymorphus*, 807
RANDOLPH, M. L. See WOLFF, ATWOOD, RANDOLPH, and LUIPPOLD, 365
REVEL, JEAN PAUL, ITO, SUSUMU, and FAWCETT, DON W. Electron micrographs of myelin figures of phospholipide simulating intracellular membranes, 495
RHEAUME, B. See STERN, 157
RICH, BARBARA. See KOENIG, 664, 785
RICHARDS, BRIAN M. See MENDELSOHN and RICHARDS, 707
RICHTER, GOETZ W. Electron microscopy of hemosiderin: presence of ferritin and occurrence of crystalline lattices in hemosiderin deposits, 55

RIS, HANS. See DASS and RIS, 129
—. See LAFONTAINE and RIS, 99
ROBERTSON, J. DAVID. Structural alterations in nerve fibers produced by hypotonic and hypertonic solutions, 349
—. The ultrastructure of Schmidt-Lantermann clefts and related shearing defects of the myelin sheath, 39
ROBINSON, ROBERT A. See SHELDON and ROBINSON, 401
ROSE, GEORGE G., POMERAT, C. M., SHINDLER, T. O., and TRUNNELL, J. B. A cellophane-strip technique for culturing tissue in multipurpose culture chambers, 761
ROSENKRANZ, HERBERT S., and BENDICH, AARON. On the nature of the deoxyribonucleic acid–methyl green reaction, 663
ROSLANSKY, J. D. See ALLEN and ROSLANSKY, 517
ROSS, MICHAEL H., PAPPAS, GEORGE D., LANMAN, JONATHAN T., and LIND, JOHN. Electron microscope observations on the endoplasmic reticulum in the human fetal adrenal, 659
RUDZINSKA, MARIA A. An electron microscope study of the contractile vacuole in *Tokophrya infusionum*, 195
RUNGE, WALTER J., VERNIER, ROBERT L., and HARTMANN, J. FRANCIS. A staining method for sections of osmium-fixed, methacrylate-embedded tissue, 327
RUSKA, HELMUT. See EDWARDS, RUSKA, and DE HARVEN, 107, 251
RUTHMANN, AUGUST. Basophilic lamellar systems in the crayfish spermatocyte, 267
RYTER, ANTOINETTE. See KELLENBERGER and RYTER, 323
—. See KELLENBERGER, RYTER, and SÉCHAUD, 671

SABATINI, D. See DE ROBERTIS and SABATINI, 667
SAGAN, L. ALEXANDER. See PLAUT and SAGAN, 843
SAMPAIO, MARIO M., BRUNNER, ADOLFO, JR., and FILHO, BENEDITO OLIVEIRA. Aspects of the ultrastructure of the brush border of the kidney of normal mouse, 335
SANFORD, K. K. See WESTFALL, PEPPERS, EVANS, SANFORD, HAWKINS, FIORAMONTI, KERR, HOBBS, and EARLE, 567
SATIR, PETER G., and PEACHEY, LEE D. Thin sections. II. A simple method for reducing compression artifacts, 345
SAVAGE, R. E., and PLAUT, WALTER. The effect of HCl hydrolysis on the retention of thymidine in DNA, 701
SCARPELLI, D. G., HESS, R., and PEARSE, A. G. E. The cytochemical localization of oxidative enzymes. I. Diphosphopyridine nucleotide diaphorase and triphosphopyridine nucleotide diaphorase, 747
—. See HESS, SCARPELLI, and PEARSE, 753
SCHREIBER, RICHARD W., and DUNCAN, ROBERT E. A cytological analysis of the antimetabolite activity of 5-hydroxyuracil in *Vicia faba* roots, 793
SCHULTZ, RICHARD L., and MEYER, ROLAND K. Biological activity of fractions obtained by differential centrifugation of the bovine adrenal cortex, 23
SÉCHAUD, JANINE. See KELLENBERGER, RYTER, and SÉCHAUD, 671
SELBY, CECILY C. See FAWCETT and SELBY, 63
SELIGMAN, ARNOLD M. See BARRNETT and SELIGMAN, 169
—. See NACHLAS, WALKER, and SELIGMAN, 29, 467
SETTERFIELD, G., and BAYLEY, S. T. Arrangement of cellulose microfibrils in walls of elongating parenchyma cells, 377
SHARP, D. GORDON. See TSUJII, SHARP, and WILBUR, 275
—. See WATABE, SHARP, and WILBUR, 281
SHELDON, HUNTINGTON, and ROBINSON, ROBERT A. Studies on cartilage: Electron microscope observations on normal rabbit ear cartilage, 401
SHINDLER, T. O. See ROSE, POMERAT, SHINDLER, and TRUNNELL, 761
SHOENBERG, C. F. An electron microscope study of smooth muscle in pregnant uterus of the rabbit, 609
SIDMAN, RICHARD L. See FEDER and SIDMAN, 593
SIEKEVITZ, PHILIP, and PALADE, GEORGE E. A cytochemical study on the pancreas of the guinea pig. I. Isolation and enzymatic activities of cell fractions, 203
— and —. II. Functional variations in the enzymatic activity of microsomes, 309
— and —. III. *In vivo* incorporation of leucine-1-C^{14} into the proteins of cell fractions, 557
SINGER, MARCUS. See BERGERON and SINGER, 433
SPATER, HERMAN W., NOVIKOFF, ALEX B., and MASEK, BERTHA. Adenosinetriphosphatase activity in the cell membranes of kidney tubule cells, 765
STERN, HERBERT. Variations in sulfhydryl concentration during microsporocyte meiosis in the anthers of *Lilium* and *Trillium*, 157
STICH, H., and PLAUT, WALTER. The effect of ribonuclease on protein synthesis in nucleated and enucleated fragments of *Acetabularia*, 119

STRAUS, WERNER. Colorimetric analysis with *N*, *N*-dimethyl-*p*-phenylenediamine of the uptake of intravenously injected horseradish peroxidase by various tissues of the rat, 541

SWIM, H. E., and PARKER, R. F. The role of carbon dioxide as an essential nutrient for six permanent strains of fibroblasts, 525

TANAKA, HIROAKI. See YASUZUMI and TANAKA, 621

TAYLOR, J. HERBERT. See MCMASTER-KAYE and TAYLOR, 5

THREADGOLD, L. T., and GRESSON, R. A. R. An electron microscope study of the cells lining the small blood vessels of *Helix pomatia* Linn, 342

TREMOR, JOHN W. See ELLIOTT and TREMOR, 839

TRIER, JERRY STEVEN. The fine structure of the parathyroid gland, 13

TRUNNELL, J. B. See ROSE, POMERAT, SHINDLER, and TRUNNELL, 761

TSUJII, TADASHI, SHARP, D. GORDON, and WILBUR, KARL M. Studies on shell formation. VII. The submicroscopic structure of the shell of the oyster *Crassostrea virginica*, 275

VAN BREEMEN, V. L. See ANDERSON and VAN BREEMEN, 83

VANDERMEERSSCHE, G. See PASTEELS, CASTIAUX, and VANDERMEERSSCHE, 575

VAN TUBERGEN, ROBERT P. See CARO, VAN TUBERGEN, and FORRO, 491

VATTER, A. E. See LUND, VATTER, and HANSON, 87

VERNIER, ROBERT L. See RUNGE, VERNIER, and HARTMANN, 327

VIAL, JUAN D. The early changes in the axoplasm during Wallerian degeneration, 551

VOGT, MARGUERITE. See KALLMAN, WILLIAMS, DULBECCO, and VOGT, 301

WALD, FLORA. See DE ROBERTIS, GERSCHENFELD, and WALD, 651

WALKER, DONALD G. See NACHLAS, WALKER, and SELIGMAN, 29, 467

WALLACE, R. See DAVIES and WALLACE, 231

WATABE, NORIMITSU, SHARP, D. GORDON, and WILBUR, KARL M. Studies on shell formation. VIII. Electron microscopy of crystal growth of the nacreous layer of the oyster *Crassostrea virginica*, 281

WATSON, MICHAEL L. Staining of tissue sections for electron microscopy with heavy metals, 475

—. II. Application of solutions containing lead and barium, 727

WATSON, MILDRED. See CLARK and HIBBS, 679

WESTFALL, B. B., PEPPERS, E. V., EVANS, V. J., SANFORD, K. K., HAWKINS, N. M., FIORAMONTI, M. C., KERR, H. A., HOBBS, G. L., and EARLE, W. R. The arginase and rhodanese activities of certain cell strains after long cultivation *in vitro*, 567

WILBUR, KARL M. See TSUJII, SHARP, and WILBUR, 275

—. See WATABE, SHARP, and WILBUR, 281

WILLIAMS, ROBLEY C. See KALLMAN, WILLIAMS, DULBECCO, and VOGT, 301

WITTER, ROBERT F., and MINK, WILLIAM. Effect of synthetic detergents on the swelling and the adenosinetriphosphatase of mitochondria isolated from rat li[illegible], 73

WOLFF, SHELDON, A[illegible]WOOD, K. C., RANDOLPH, M. L., and LUIPPO[illegible]D, H. E. Factors limiting the number of radiation-induced chromosome exchanges. I. Distance: Evidence from noninteraction of x-ray– and neutron-induced breaks, 365

WOLKEN, JEROME J. Retinal structure. Mollusc cephalopods: *Octopus*, *Sepia*, 835

WOODARD, JOHN W. Intracellular amounts of nucleic acids and protein during pollen grain growth in *Tradescantia*, 383

YAMADA, EICHI. A peculiar lamellated body observed in the cells of the pigment epithelium of the retina of the bat, *Pipistrellus abramus*, 329

YASUZUMI, G., and TANAKA, HIROAKI. Spermatogenesis in animals as revealed by electron microscopy. VI. Researches on the spermatozoon dimorphism in a pond snail, *Cipangopaludina malleata*, 621

YOUNG, I. ELIZABETH. See FITZ-JAMES and YOUNG, 639

YOUNG, WILLIAM C. See LADMAN and YOUNG, 219

INDEX TO SUBJECTS

ACETABULARIA, nucleated and enucleated fragments, effect of ribonuclease on protein synthesis, 119

Acetic acid, ethylenediaminetetra-, surface responses in cultured fibroblasts elicited by, 243

Acid, deoxyribonucleic, contained in plasms, phage deoxyribonucleic acid compared with normal bacterial nucleoids, electron microscopy, 671

—, deoxyribonucleic, effect of hydrochloric acid hydrolysis on retention of thymidine, 701

—, deoxyribonucleic, in *Escherichia coli*, localization, 491

—, deoxyribonucleic, macromolecules, morphology, electron microscopy, 1

—, deoxyribonucleic, and methyl green, reaction, 663

—, deoxyribonucleic, nuclear, of non-dividing cells in adult feline neuraxis, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid, 664

—, ethylenediaminetetraacetic, surface responses in cultured fibroblasts elicited by, 243

—, nucleic, and protein, turnover in mammalian neuraxis, autoradiography, 785

—, ribonucleic, metabolically distinct types in chromatin and nucleoli, 5

Acids, nucleic, and protein, intracellular amounts during pollen grain growth in *Tradescantia*, 383

Acinar cell, pancreatic, of mouse, polarization optical properties, 177

Acylamido, α-, carboxyl groups, protein-bound, histochemistry, 169

Adenine-8-C^{14} and orotic-6-C^{14} acid, uptake into nuclear deoxypentosenucleic acid of non-dividing cells in adult feline neuraxis, 664

Adenosinetriphosphatase activity in cell membranes of kidney tubule cells, 765

— and 5-nucleotidase activities in plasma membrane of liver cells, electron microscopy, 711

— and swelling of mitochondria isolated from rat liver, effect of synthetic detergents, 73

Adipose cell of *Glossiphonia complanata*, fine structure, 603

— tissue, brown, fine structure, in newborn mouse and rat, 685

— tissue, brown, and liver, of rat, mitochondria isolated from, 287

Adrenal cortex, bovine, biological activity of fractions obtained by differential centrifugation, 23

— cortical mitochondria and liposomes, origin, 337

—, fetal, human, endoplasmic reticulum, electron microscopy, 659

Adrenocortex of normal hamsters, mitochondrial changes, 667

Age, sex, pregnancy, and starvation, influence on cytoplasmic ribonucleoproteins of rat liver, 771

Allium cepa and *Vicia faba*, nucleoli, particulate component, 229

— and *Vicia faba*, structure and mode of formation of nucleolus in meristematic cells, 777

Alveolar macrophage, ultrastructure of mouse lung, 693

Amblystoma larvae, fine structure of blastema cells and differentiating cartilage cells in regenerating limbs, 583

Ameba, anterior-posterior gradient of refractive index, significance in ameboid movement, 517

—, fine structure of contractile vacuole, 485

Amoeba proteus, incorporation of thymidine in cytoplasm, 843

Anterior pituitary cell fractions, distribution of hydrolases, 833

Anthers of *Lilium* and *Trillium*, sulfhydryl concentration during microsporocyte meiosis, 157

Antimetabolite activity of 5-hydroxyuracil in *Vicia faba* roots, cytology, 793

Araldite as embedding medium for electron microscopy, 191

Arginase and rhodanese activities of cell strains after long cultivation *in vitro*, 567

Artefacts, compression, method for reduction, in thin sections, 345

Arteries, large, endothelium, fine structure, 187

Atrium, turtle, fine structure, 63

Autoradiography, nucleic acid and protein turnover in mammalian neuraxis, 785

—, utilization of calcium-45 by chick embryo, 163

Axoplasm, early changes, during Wallerian degeneration, 551

BACILLUS *laterosporus*, spores and parasporal bodies, morphology and chemistry, 639
— *megaterium*, cytology and chemistry of growth of protoplasts, 257
Bacterial nucleoids, normal, in different physiological states, compared with phage deoxyribonucleic acid, electron microscopy, 671
Bacteriophage deoxyribonucleic acid, vegetative and mature, compared with normal bacterial nucleoids, electron microscopy, 671
Barium and lead solutions, staining of tissue sections for electron microscopy with heavy metals, 727
Basophile substances of frozen-dried rat liver, electron microscopy, 291
Basophilic lamellar systems in crayfish spermatocyte, 267
Bat, *Pipistrellus abramus*, retina, lamellated body in pigment epithelium cells, 329
Biochemistry and cytology, changes accompanying growth and differentiation in roots of *Zea mays*, 87
Biological activity of fractions obtained by differential centrifugation of bovine adrenal cortex, 23
Biological specimens, contribution of lower oxides to density in electron microscopy, 579
Blastema cells and differentiating cartilage cells in regenerating limbs of *Amblystoma* larvae, fine structure, 583
Blood vessels, small, of *Helix pomatia*, electron microscopy of cells, 342
Border, brush, of kidney of normal mouse, ultrastructure, 335
Bovine. *See* Cattle.

CALCIUM-45 utilization by chick embryo, autoradiography, 163
Calf thymus composition, comparison of differential centrifugation and chemical fractionation procedures, 717
Carbon-14-adenine-8-, and orotic-6-C^{14} acid, uptake into nuclear deoxypentosenucleic acid of non-dividing cells of adult feline neuraxis, 664
— dioxide, essential nutrient for fibroblast strains, 525
— films, new technique, 133
— films, use in culture of tissue cells for electron microscopy, 231
—-14, leucine-1-, *in vivo* incorporation into proteins of cell fractions in guinea pig pancreas, 557
Carboxyl groups, α-acylamido, protein-bound, histochemistry, 169
Cartilage cells, differentiating, and blastema cells, in regenerating limbs of *Amblystoma* larvae, fine structure, 583
Cartilage, normal rabbit ear, electron microscopy, 401
Cat, neuraxis of adult, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid into nuclear deoxypentosenucleic acid of non-dividing cells, 664
— and rat cerebellum, newborn, patterns of growth, myelin formation, maintenance, and degeneration in cultures of, 499
Cattle, adrenal cortex, biological activity of fractions obtained by differential centrifugation, 23
Cell, acinar, pancreatic, of mouse, polarization optical properties, 177
—, adipose, of *Glossiphonia complanata*, fine structure, 603
—, amounts of nucleic acids and protein in, during pollen grain growth in *Tradescantia*, 383
—, electron micrographs of myelin figures of phospholipide simulating membranes within, 495
— fractions, anterior pituitary, distribution of hydrolases, 833
— fractions, guinea pig pancreas, isolation and enzymatic activities, cytochemistry, 203
— fractions, proteins, *in vivo* incorporation of leucine-1-C^{14}, in guinea pig pancreas, 557
— membranes of kidney tubule cells, adenosinetriphosphatase activity, 765
— of Masson, clear, human epidermis, electron microscopy, 679
—, rat liver, distribution of 5′- nucleotidase within, 373
— strains, arginase and rhodanese activities after long cultivation *in vitro*, 567
— synapse, rod-bipolar, in retina of albino rat, fine structure, 459
— wall and cytoplasmic membrane of *Escherichia coli*, 323
— walls, internodal, *Nitella*, developing, structural characteristics, 505
Cell-free induced leucemia of mouse, electron microscopy, 151
Cellophane-strip technique for culturing tissue in multipurpose culture chambers, 761
Cells, blastema and differentiating cartilage, in regenerating limbs of *Amblystoma* larvae, fine structure, 583
—, cultured, poliomyelitis virus, fine structure of changes during single growth cycle, 301
—, cultured, study by thin sectioning and electron microscopy, 115
—, and fibers, nerve, neuroglia, and sheaths, of ganglion chain in *Periplaneta americana*, fine structure, 731
—, ganglion, spinal, of *Rana pipiens* after injection of malononitrile, electron microscopy, 83

Cells, human epidermis, fine structure of interrelationship, 529
— lining small blood vessels of *Helix pomatia*, electron microscopy, 342
—, liver, adenosinetriphosphatase and 5-nucleotidase activities in plasma membrane, electron microscopy, 711
—, meristematic, of *Vicia faba* and *Allium cepa*, structure and mode of formation of nucleolus, 777
—, non-dividing, in adult feline neuraxis, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid into nuclear deoxypentosenucleic acid, 664
— of pigment epithelium of retina of *Pipistrellus abramus*, lamellated body in, 329
—, parenchyma, elongating, cellulose microfibrils in walls, 377
—, sense, distal, of *Pecten* retina, derivatives of cilia, 227
—, testicular, cytoplasmic membranes of, phase contrast and electron microscopy, 135
—, tissue, culture, for electron microscopy, use of carbon films, 231
Cellular mechanism of myelination in central nervous system, 651
Cellulose microfibrils in walls of elongating parenchyma cells, 377
Centrifugation, differential, and chemical fractionation procedures, comparison, calf thymus composition, 717
—, differential, of bovine adrenal cortex, biological activity of fractions obtained, 23
Cephalopods, mollusc, *Octopus* and *Sepia*, retinal structure, 835
Cerebellum, newborn rat and kitten, cultures, patterns of growth, myelin formation, maintenance, and degeneration, 499
Chemical fractionation procedures and differential centrifugation, comparison, calf thymus composition, 717
Chemistry and cytology, growth of protoplasts of *Bacillus megaterium*, 257
— and morphology, spores and parasporal bodies of *Bacillus laterosporus*, 639
Chromatin and nucleoli, metabolically distinct types of ribonucleic acid in, 5
Chromosome exchanges, radiation-induced, factors limiting number, distance evident from non-interaction of x-ray– and neutron-induced breaks, 365
Chromosomes, lampbrush, electron microscopy, 99
—, prophase, meiotic, relation between axial complex and chromosome pairing in *Plethodon cinereus*, 633
Cicada, flight and tymbal muscles, neuromuscular junctions, 251
Cilia derivatives in distal sense cells of *Pecten* retina, 227
Cipangopaludina malleata, spermatozoon dimorphism, electron microscopy, 621
Cockroach, *Periplaneta americana*, fine structure of nerve cells and fibers, neuroglia, and sheaths of ganglion chain, 731
Color transparencies, photographic, use in modification of two-wave-length method of microspectrophotometry, 425
Colorimetric analysis with *N*,*N*-dimethyl-*p*-phenylenediamine of uptake of intravenously injected horseradish peroxidase by tissues of rat, 541
Cones, retinal, of rabbit, submicroscopic organization, 743
Conjugating *Tetrahymena pyriformis*, fine structure of pellicle in contact area, 839
Corpuscle, Pacinian, functional activity, 341
Cortex, adrenal, bovine, biological activity of fractions obtained by differential centrifugation, 23
—, adrenal, mitochondria and liposomes, origin, 337
—, adrenal, of normal hamsters, mitochondrial changes, 667
Crab, land, *Gecarcinus lateralis*, fine structure of sinus gland, 571
Crassostrea virginica, electron microscopy of crystal growth of nacreous layer, 281
—, submicroscopic structure of shell, 275
Crayfish spermatocyte, basophilic lamellar systems, 267
Crystal growth of nacreous layer of *Crassostrea virginica*, electron microscopy, 281
Crystalline lattices and ferritin in hemosiderin deposits, electron microscopy, 55
Cultivation, long, *in vitro*, arginase and rhodanese activities of cell strains, 567
Culture, cells, poliomyelitis virus, fine structure of changes during single growth cycle, 301
— of tissue cells for electron microscopy, use of carbon films, 231
—, tissue, cellophane-strip technique for multipurpose culture chambers, 761
Cultured cells, study by thin sectioning and electron microscopy, 115
— fibroblasts, surface responses elicited by ethylenediaminetetraacetic acid, 243
Cultures of newborn rat and kitten cerebellum, patterns of growth, myelin formation, maintenance, and degeneration, 499
Cytochemistry, oxidative enzymes, diphospho- and triphosphopyridine nucleotide diaphorase, 747
—, oxidative enzymes, pyridine nucleotide–linked dehydrogenases, 753

Cytochemistry, pancreas of guinea pig, functional variations in enzymatic activity of microsomes, 309
—, pancreas of guinea pig, *in vivo* incorporation of leucine-1-C^{14} into proteins of cell fractions, 557
—, pancreas of guinea pig, isolation and enzymatic activities of cell fractions, 203
—, *Paracentrotus lividus*, fertilized unsegmented egg, localizations and ultrastructure, 575
—, sulfhydryl groups of sea urchin eggs during first cleavage, 615
Cytology, antimetabolite activity of 5-hydroxyuracil in *Vicia faba* roots, 793
— and biochemistry, changes accompanying growth and differentiation in roots of *Zea mays*, 87
— and chemistry, growth of protoplasts of *Bacillus megaterium*, 257
—, effects of prefixation treatment, 391
—, pathological, of tobacco leaf infected with tobacco mosaic virus, 831
Cytoplasm, *Amoeba proteus*, incorporation of thymidine in, 843
Cytoplasmic membrane and cell wall of *Escherichia coli*, 323
— membranes of testicular cells, phase contrast and electron microscopy, 135
— ribonucleoproteins of rat liver, influence of age, sex, pregnancy, and starvation, 771

DEHYDROGENASES, pyridine nucleotide–linked, cytochemistry, 753
Dendritic cell, human epidermis, electron microscopy, 679
Denervated and normal red and white muscles of rat, histochemistry, 47
Deoxypentosenucleic acid. *See* Deoxyribonucleic acid.
Deoxyribonucleic acid–containing plasms, phage deoxyribonucleic acid compared with normal bacterial nucleoids, electron microscopy, 671
— acid, effect of hydrochloric acid hydrolysis on retention of thymidine, 701
— acid in *Escherichia coli*, localization, 491
— acid macromolecules, morphology, electron microscopy, 1
— acid–methyl green reaction, 663
— acid, nuclear, of non-dividing cells in adult feline neuraxis, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid, 664
Diamine, *N*,*N*-dimethyl-*p*-phenylene, colorimetric analysis of uptake of intravenously injected horseradish peroxidase by tissues of rat, 541
Diamond knife holder for microtomes designed to take glass knives, 539
Diaphorase, diphosphopyridine nucleotide, histochemistry, 29
—, diphospho- and triphosphopyridine nucleotide, cytochemistry, 747
—, triphosphopyridine nucleotide, localization, histochemistry, 467
Dimethyl-*p*-phenylenediamine, *N*,*N*-, colorimetric analysis of uptake of intravenously injected horseradish peroxidase by tissues of rat, 541
Dimorphism, spermatozoon, in *Cipangopaludina malleata*, electron microscopy, 621
Diphosphopyridine nucleotide diaphorase, cytochemistry, 747
— nucleotide diaphorase, histochemistry, 29
Ductuli efferentes and rete testis of guinea pig, electron microscopy, 219

EAR cartilage, rabbit, normal, electron microscopy, 401
Egg, unsegmented, fertilized, of *Paracentrotus lividus*, cytochemical localizations and ultrastructure, 575
Eggs, sea urchin, during first cleavage, sulfhydryl groups of, cytochemistry, 615
Electron micrography, myelin figures of phospholipide simulating intracellular membranes, 495
— microscopy, adenosinetriphosphatase and 5-nucleotidase activities in plasma membrane of liver cells, 711
— microscopy, araldite as embedding medium, 191
— microscopy, basophile substances of frozen-dried rat liver, 291
— microscopy, cell-free induced leucemia of mouse, 151
—microscopy, cells lining small blood vessels of *Helix pomatia*, 342
— microscopy, contractile vacuole in *Tokophrya infusionum*, 195
— microscopy, contribution of lower oxides of osmium to density of biological specimens, 579
— microscopy, deoxyribonucleic acid–containing plasms, phage deoxyribonucleic acid compared with normal bacterial nucleoids, 671
— microscopy, double embedding method giving water-permeable ultrathin sections, 331
— microscopy, ductuli efferentes and rete testis of guinea pig, 219
— microscopy, endoplasmic reticulum in human fetal adrenal, 659
— microscopy, ferritin and crystalline lattices in hemosiderin deposits, 55
— microscopy, human epidermis, clear cell of Masson, 679
— microscopy, lampbrush chromosomes, 99

Electron microscopy, morphology of deoxyribonucleic acid macromolecules, 1
— microscopy of crystal growth of nacreous layer of *Crassostrea virginica*, 281
— microscopy of normal rabbit ear cartilage, 401
microscopy, peripheral nerves and neuromuscular junctions in wasp leg, 107
— microscopy and phase contrast, cytoplasmic membranes of testicular cells, 135
— microscopy, silver impregnation, 841
— microscopy, smooth muscle in pregnant rabbit uterus, 609
— microscopy, spermatogenesis, spermatozoon dimorphism in *Cipangopaludina malleata*, 621
— microscopy, spinal ganglion cells of *Rana pipiens* after injection of malononitrile, 83
— microscopy, staining of tissue sections with heavy metals, 475
— microscopy, staining of tissue sections with heavy metals, solutions with lead and barium, 727
— microscopy, taste buds of rabbit, 143
— microscopy and thin sectioning, study of cultured cells, 115
— microscopy, use of carbon films in culture of tissue cells for, 231
Embedding medium, araldite for electron microscopy, 191
—, methacrylate, and osmium fixation, of tissue, staining methods for sections, 327
— method, double, giving water-permeable ultrathin sections for electron microscopy, 331
Embryo, chick, utilization of calcium-45, autoradiography, 163
Endoplasmic reticulum in human fetal adrenal, electron microscopy, 659
Endothelium of large arteries, fine structure, 187
—, vascular, solute transfer, 319
Enucleated and nucleated fragments of *Acetabularia*, effect of ribonuclease on protein synthesis, 119
Enzymatic activities and isolation of cell fractions, cytochemistry of guinea pig pancreas, 203
Enzyme activity of microsomes, functional variations, cytochemistry of guinea pig pancreas, 309
Enzymes, oxidative, diphospho- and triphosphopyridine nucleotide diaphorase, cytochemistry, 747
—, oxidative, pyridine nucleotide–linked dehydrogeneses, cytochemistry, 753
Epidermis, human, clear cell of Masson, electron microscopy, 679
Epidermis, human, fine structure of interrelationship of cells, 529
Epithelium, pigment, cells, of retina of *Pipistrellus abramus*, lamellated body in, 329
Escherichia coli, cell wall and cytoplasmic membrane, 323
—, localization of deoxyribonucleic acid, 491
Ethylenediaminetetraacetic acid, surface responses in cultured fibroblasts elicited by, 243

FERRITIN and crystalline lattices in hemosiderin deposits, electron microscopy, 55
Fertilized unsegmented egg of *Paracentrotus lividus*, cytochemical localizations and ultrastructure, 575
Fetal adrenal, human, endoplasmic reticulum, electron microscopy, 659
Fibers and cells, nerve, neuroglia, and sheaths, of ganglion chain in *Periplaneta americana*, fine structure, 731
—, nerve, structural alterations produced by hypotonic and hypertonic solutions, 349
Fibroblast strains, carbon dioxide as essential nutrient, 525
Fibroblasts, cultured, surface responses elicited by ethylenediaminetetraacetic acid, 243
Fixation by freeze-substitution, methods and principles, 593
—, cytological effects of pretreatment, 391
—, osmium, and methacrylate embedding, of tissue, staining method for sections, 327
Flight and tymbal muscles of cicada, neuromuscular junctions, 251
Freeze-substitution fixation, methods and principles, 593
Frozen-dried rat liver, basophile substances, electron microscopy, 291

GANGLION cells, spinal, of *Rana pipiens* after injection of malononitrile, electron microscopy, 83
— chain in *Periplaneta americana*, fine structure of nerve cells and fibers, neuroglia, and sheaths, 731
Gecarcinus lateralis, fine structure of sinus gland, 571
Gland, parathyroid, fine structure, 13
—, sinus, of *Gecarcinus lateralis*, fine structure, 571
Glass knives, diamond knife holder for microtomes designed to take, 539
Glossiphonia complanata, fine structure of adipose cell, 603
Grain, pollen, growth in *Tradescantia*, intracellular amounts of nucleic acids and protein, 383

Grasshopper, spermatid nucleus, 479
—, spermiogenesis, submicroscopic organization of nucleus during, 129
Growth cycle of poliomyelitis virus, fine structure of changes produced in cultured cells, 301
Guinea pig, ductuli efferentes and rete testis, electron microscopy, 219
— pancreas, functional variations in enzymatic activity of microsomes, cytochemistry, 309
— pancreas, *in vivo* incorporation of leucine-1-C^{14} into proteins of cell fractions, cytochemistry, 557
— pancreas, isolation and enzymatic activities of cell fractions, cytochemistry, 203

HAMSTERS, normal, mitochondrial changes in adrenocortex, 667
Heavy metals, staining of tissue sections for electron microscopy, 475
—, staining of tissue sections for electron microscopy, solutions with lead and barium, 727
Helix pomatia, cells lining small blood vessels, electron microscopy, 342
Hemipteran, *Loxa flavicolis*, histones of meiosis and mitosis, 59
Hemosiderin deposits, ferritin and crystalline lattices in, electron microscopy, 55
Histochemistry, demonstration of diphosphopyridine nucleotide diaphorase, 29
—, localization of triphosphopyridine nucleotide diaphorase, 467
—, normal and denervated red and white muscles of rat, 47
—, protein-bound α-acylamido carboxyl groups, 169
Histones of, mitosis and meiosis in *Loxa flavicolis*, 59
Horseradish peroxidase, intravenously injected, colorimetric analysis with *N*,*N*-dimethyl-*p*-phenylenediamine of uptake by tissues of rat, 541
Hydrochloric acid hydrolysis, effect on retention of thymidine in deoxyribonucleic acid, 701
Hydrolases, distribution among anterior pituitary cell fractions, 833
Hydrolysis, hydrochloric acid, effect on retention of thymidine in deoxyribonucleic acid, 701
Hydroxyuracil, 5-, antimetabolite activity in *Vicia faba* roots, cytology, 793
Hypertonic and hypotonic solutions, structural alterations in nerve fibers produced by, 349
Hypotonic and hypertonic solutions, structural alterations in nerve fibers produced by, 349

INJECTION, intravenous, horseradish peroxidase, colorimetric analysis with *N*,*N*-dimethyl-*p*-phenylenediamine of uptake by tissues of rat, 541
—, malononitrile, spinal ganglion cells of *Rana pipiens* after, electron microscopy, 83

JUNCTIONS, neuromuscular, in flight and tymbal muscles of cicada, 251
—, neuromuscular, and peripheral nerves in wasp leg, electron microscopy, 107

KAPPA, fine structure in killer stock of *Paramecium aurelia*, 122
—, fine structure in killer stock of *Paramecium aurelia*, 125
Kidney, normal mouse, ultrastructure of brush border, 335
— tubule cells, adenosinetriphosphatase activity in cell membranes, 765
Knife holder, diamond, for microtomes designed to take glass knives, 539

LAMELLAR systems, basophilic, in crayfish spermatocyte, 267
Lamellated body in cells of pigment epithelium of retina of *Pipistrellus abramus*, 329
Lampbrush chromosomes, electron microscopy, 99
Lantermann and Schmidt, clefts, and related shearing defects of myelin sheath, ultrastructure, 39
Larvae, *Amblystoma*, fine structure of blastema cells and differentiating cartilage cells in regenerating limbs, 583
Lead and barium solutions, staining of tissue sections for electron microscopy with heavy metals, 727
Leaf, tobacco, infected with tobacco mosaic virus, pathological cytology, 831
Leech, *Glossiphonia complanata*, fine structure of adipose cell, 603
Leg, wasp, peripheral nerves and neuromuscular junctions in, electron microscopy, 107
Leucemia, mouse, cell-free, induced, electron microscopy, 151
Leucine-1-C^{14}, *in vivo* incorporation into proteins of cell fractions in guinea pig pancreas, 557
Lilium and *Trillium*, anthers, sulfhydryl concentration during microsporocyte meiosis, 157
Liposomes and mitochondria of adrenal cortex, origin, 337
Liver and brown adipose tissue, of rat, mitochondria isolated from, 287
— cells, adenosinetriphosphatase and 5-nucleotidase activities in plasma membrane, electron microscopy, 711

Liver, rat, frozen-dried, basophile substances, electron microscopy, 291
—, rat, influence of age, sex, pregnancy, and starvation on cytoplasmic ribonucleoproteins, 771
—, rat, intracellular distribution of 5′-nucleotidase, 373
—, rat, mitochondria isolated from, effect of synthetic detergents on swelling and adenosinetriphosphatase, 73
Lotmar-Picken substance, taurine, 489
Loxa flavicolis, histones of meiosis and mitosis, 59
Lung, mouse, ultrastructure, alveolar macrophage, 693

MACROMOLECULES, deoxyribonucleic acid, morphology, electron microscopy, 1
Macrophage, alveolar, ultrastructure of mouse lung, 693
Malononitrile injection in spinal ganglion cells of *Rana pipiens*, electron microscopy, 83
Mammalian neuraxis, nucleic acid and protein turnover, autoradiography, 785
Man, epidermis cells, fine structure of interrelationship, 529
—, epidermis, clear cell of Masson, electron microscopy, 679
—, fetal adrenal, endoplasmic reticulum, electron microscopy, 659
Masson, clear cell of, human epidermis, electron microscopy, 679
Medium, embedding, use of araldite in electron microscopy, 191
Meiosis, microsporocyte, in anthers of *Lilium* and *Trillium*, sulfhydryl concentration during, 157
— and mitosis in *Loxa flavicolis*, histones of, 59
Meiotic prophase chromosomes, relation between axial complex and chromosome pairing in *Plethodon cinereus*, 633
Melanocyte, human epidermis, electron microscopy, 679
Membrane, cytoplasmic, and cell wall, of *Escherichia coli*, 323
—, plasma, of liver cells, adenosinetriphosphatase and 5-nucleotidase activities, electron microscopy, 711
Membranes, cell, of kidney tubule cells, adenosinetriphosphatase activity, 765
—, cytoplasmic, of testicular cells, phase contrast and electron microscopy, 135
—, intracellular, myelin figures of phospholipide simulating, electron micrography, 495
Meristematic cells of *Vicia faba* and *Allium cepa*, structure and mode of formation of nucleolus, 777
Metabolism, cytology of antimetabolite activity of 5-hydroxyuracil in *Vicia faba* roots, 793
—, distinct, of types of ribonucleic acid in chromatin and nucleoli, 5
Metachromasy, experimental and theoretical reevaluation, 433
Metals, heavy, staining of tissue sections for electron microscopy, 475
—, heavy, staining of tissue sections for electron microscopy, solutions with lead and barium, 727
Methacrylate-embedded, osmium-fixed tissue, staining method for sections, 327
Methyl green and deoxyribonucleic acid reaction, 663
Microfibrils, cellulose, in walls of elongating parenchyma cells, 377
Micrography, electron, myelin figures of phospholipide simulating intracellular membranes, 495
Microscopic, sub-, organization of nucleus during spermiogenesis in grasshopper, 129
—, sub-, organization of retinal cones of rabbit, 743
Microscopy, electron, adenosinetriphosphatase and 5-nucleotidase activities in plasma membrane of liver cells, 711
—, electron, araldite as embedding medium, 191
—, electron, basophile substances of frozen-dried rat liver, 291
—, electron, cell-free induced leucemia of mouse, 151
—, electron, cells lining small blood vessels of *Helix pomatia*, 342
—, electron, contractile vacuole in *Tokophrya infusionum*, 195
—, electron, contribution of lower oxides of osmium to density of biological specimens, 579
—, electron, deoxyribonucleic acid–containing plasms, phage deoxyribonucleic acid compared with normal bacterial nucleoids, 671
—, electron, double embedding method giving water-permeable ultrathin sections, 331
—, electron, ductuli efferentes and rete testis of guinea pig, 219
—, electron, endoplasmic reticulum in human fetal adrenal, 659
—, electron, ferritin and crystalline lattices in hemosiderin deposits, 55
—, electron, human epidermis, clear cell of Masson, 679
—, electron, lampbrush chromosomes, 99
—, electron, morphology of deoxyribonucleic acid macromolecules, 1

Microscopy, electron, of crystal growth of nacreous layer of *Crassostrea virginica*, 281
—, electron, of normal rabbit ear cartilage, 401
—, electron, peripheral nerves and neuromuscular junctions in wasp leg, 107
—, electron, and phase contrast, cytoplasmic membranes of testicular cells, 135
—, electron, silver impregnation, 841
—, electron, smooth muscle in pregnant rabbit uterus, 609
—, electron, spermatogenesis, spermatozoon dimorphism in *Cipangopaludina malleata*, 621
—, electron, spinal ganglion cells of *Rana pipiens* after injection of malononitrile, 83
—, electron, staining of tissue sections with heavy metals, 475
—, electron, staining of tissue sections with heavy metals, solutions with lead and barium, 727
—, electron, taste buds of rabbit, 143
—, electron, and thin sectioning, study of cultured cells, 115
—, electron, use of carbon films in culture of tissue cells for, 231
Microsomes, functional variations in enzymatic activity, cytochemistry of guinea pig pancreas, 309
Microspectrophotometry, scanning and two-wave-length, comparison, 707
—, two-wave-length method, extension based on photographic color transparencies, 425
—, two-wave-length method, tables for calculation, 415
—, two-wave-length method, tests on model systems, 407
Microsporocyte meiosis in anthers of *Lilium* and *Trillium*, sulfhydryl concentration during, 157
Microtomes, diamond knife holder designed to take glass knives, 539
Microtomy, section thickness and physical distortion produced during, 233
Mitochondria isolated from rat brown adipose tissue and liver, 287
— isolated from rat liver, effect of synthetic detergents on swelling and adenosinetriphosphatase, 73
— and liposomes of adrenal cortex, origin, 337
Mitochondrial changes in adrenocortex of normal hamsters, 667
Mitosis and meiosis in *Loxa flavicolis*, histones of, 59
Mollusc cephalopods, *Octopus* and *Sepia*, retinal structure, 835
Morphology and chemistry, spores and parasporal bodies of *Bacillus laterosporus*, 639
—, deoxyribonucleic acid macromolecules, electron microscopy, 1
Mosaic, tobacco, virus, tobacco leaf infected with, pathological cytology, 831
Mouse, leucemia, cell-free, induced, electron microscopy, 151
— lung, ultrastructure, alveolar macrophage, 693
—, normal, ultrastructure of brush border of kidney, 335
—, pancreatic acinar cell, polarization optical properties, 177
— and rat, newborn, fine structure of brown adipose tissue, 685
Muscle, smooth, in pregnant rabbit uterus, electron microscopy, 609
Muscles, flight and tymbal, of cicada, neuromuscular junctions, 251
—, rat, red and white, normal and denervated, histochemistry, 47
Myelin figures of phospholipide simulating intracellular membranes, electron micrography, 495
— formation, growth, maintenance, and degeneration, patterns of, in cultures of newborn rat and kitten cerebellum, 499
— sheath, shearing defects of, related to ultrastructure of Schmidt-Lantermann clefts, 39
Myelination, cellular mechanism in central nervous system, 651

NACREOUS layer, of *Crassostrea virginica*, electron microscopy of crystal growth, 281
Nerve cells and fibers, neuroglia, and sheaths, of ganglion chain in *Periplaneta americana*, fine structure, 731
— fibers, structural alterations produced by hypotonic and hypertonic solutions, 349
Nerves, peripheral, and neuromuscular junctions, in wasp leg, electron microscopy, 107
Nervous system, central, cellular mechanism of myelination, 651
Neuraxis, feline, adult, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid into nuclear deoxypentosenucleic acid of non-dividing cells, 664
—, mammalian, nucleic acid and protein turnover, autoradiography, 785
Neuroglia, and sheaths, nerve cells and fibers, of ganglion chain in *Periplaneta americana*, fine structure, 731
Neuromuscular junctions in flight and tymbal muscles of cicada, 251
— junctions and peripheral nerves in wasp leg, electron microscopy, 107

Neutron- and x-ray–induced breaks, non-interaction of, relation of distance to radiation-induced chromosome exchanges, 365
Nitella, developing internodal cell walls, structural characteristics, 505
Nuclear deoxypentosenucleic acid of non-dividing cells in adult feline neuraxis, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid, 664
Nuclease, ribo-, effect on protein synthesis in nucleated and enucleated fragments of *Acetabularia*, 119
Nucleated and enucleated fragments of *Acetabularia*, effect of ribonuclease on protein synthesis, 119
Nucleic acid, deoxyribo-, contained in plasms, phage deoxyribonucleic acid compared with normal bacterial nucleoids, electron microscopy, 671
— acid, deoxyribo-, effect of hydrochloric acid hydrolysis on retention of thymidine, 701
— acid, deoxyribo-, in *Escherichia coli*, localization, 491
— acid, deoxyribo-, macromolecules, morphology, electron microscopy, 1
— acid, deoxyribo-, and methyl green reaction, 663
— acid, deoxyribo-, nuclear, of non-dividing cells in adult feline neuraxis, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid, 664
— acid and protein turnover in mammalian neuraxis, autoradiography, 785
— acid, ribo-, metabolically distinct types in chromatin and nucleoli, 5
— acids and protein, intracellular amounts during pollen grain growth in *Tradescantia*, 383
Nucleoids, bacterial, normal, in different physiological states, compared with phage deoxyribonucleic acid, electron microscopy, 671
Nucleoli and chromatin, metabolically distinct types of ribonucleic acid in, 5
— of *Allium cepa* and *Vicia faba*, particulate component, 229
Nucleolus, structure and mode of formation in meristematic cells of *Vicia faba* and *Allium cepa*, 777
Nucleoproteins, ribo-, cytoplasmic, of rat liver, influence of age, sex, pregnancy, and starvation, 771
Nucleotidase, 5-, and adenosinetriphosphatase, activities in plasma membrane of liver cells, electron microscopy, 711
—, 5′-, in rat liver, intracellular distribution, 373
Nucleotide, diphosphopyridine, diaphorase, histochemistry, 29
—, diphospho- and triphosphopyridine, diaphorase, cytochemistry, 747
Nucleotide, pyridine, dehydrogenases, cytochemistry, 753
—, triphosphopyridine, diaphorase, localization, histochemistry, 467
Nucleus, spermatid, in grasshopper, 479
—, submicroscopic organization during spermiogenesis in grasshopper, 129
Nutrient, carbon dioxide, essential, for fibroblast strains, 525

OCTOPUS, retinal structure, 835
Optical properties, polarization, of mouse pancreatic acinar cell, 177
Orotic-6-C^{14} acid and adenine-8-C^{14}, uptake into nuclear deoxypentosenucleic acid of non-dividing cells in adult feline neuraxis, 664
Osmium, lower oxides, contribution to density of biological specimens in electron microscopy, 579
Osmium-fixed, methacrylate-embedded tissue, staining method for sections, 327
Oxidative enzymes, diphospho- and triphosphopyridine nucleotide diaphorase, cytochemistry, 747
— enzymes, pyridine nucleotide–linked dehydrogenases, cytochemistry, 753
Oyster, *Crassostrea virginica*, electron microscopy of crystal growth of nacreous layer, 281
—, *Crassostrea virginica*, submicroscopic structure of shell, 275

PACINIAN corpuscle, functional activity, 341
Pancreas, guinea pig, functional variations in enzymatic activity of microsomes, cytochemistry, 309
—, guinea pig, *in vivo* incorporation of leucine-1-C^{14} into proteins of cell fractions, cytochemistry, 557
—, guinea pig, isolation and enzymatic activities of cell fractions, cytochemistry, 203
Pancreatic acinar cell of mouse, polarization optical properties, 177
Paracentrotus lividus, fertilized unsegmented egg, cytochemical localizations and ultrastructure, 575
Paramecium aurelia, fine structure of kappa in killer stock, 122
—, fine structure of kappa in killer stock, 125
Parathyroid gland, fine structure, 13
Parenchyma cells, elongating, cellulose microfibrils in walls, 377
Pathological cytology of tobacco leaf infected with tobacco mosaic virus, 831
Pecten retina, derivatives of cilia in distal sense cells, 227

Pellicle, in contact area of conjugating *Tetrahymena pyriformis*, fine structure, 839
Pentosenucleic acid, deoxy-. *See* Deoxyribonucleic acid.
Periplaneta americana, fine structure of nerve cells and fibers, neuroglia, and sheaths of ganglion chain, 731
Peroxidase, horseradish, intravenously injected, colorimetric analysis with *N*,*N*-dimethyl-*p*-phenylenediamine of uptake by tissues of rat, 541
Phage. *See* Bacteriophage.
Phase contrast and electron microscopy, cytoplasmic membranes of testicular cells, 135
Phenylenediamine, *N*,*N*-dimethyl-*p*-, colorimetric analysis of uptake of intravenously injected horseradish peroxidase by tissues of rat, 541
Phosphatase. *See* Adenosinetriphosphatase.
Phospholipide, myelin figures simulating intracellular membranes, electron micrography, 495
Photographic color transparencies, use in modification of two-wave-length method of microspectrophotometry, 425
Picken and Lotmar, substance, taurine, 489
Pigment epithelium of retina of *Pipistrellus abramus*, lamellated body in cells of, 329
Pipistrellus abramus, retina, lamellated body in cells of pigment epithelium, 329
Pituitary anterior, cell fractions, distribution of hydrolases, 833
Plasma membrane of liver cells, adenosinetriphosphatase and 5-nucleotidase activities, electron microscopy, 711
Plasms, deoxyribonucleic acid–containing, phage deoxyribonucleic acid compared with normal bacterial nucleoids, electron microscopy, 671
Plethodon cinereus, relation between axial complex of meiotic prophase chromosomes and chromosome pairing, 633
Polarization optical properties of mouse pancreatic acinar cell, 177
Poliomyelitis virus, fine structure of changes produced in cultured cells during single growth cycle, 301
Pollen grain growth in *Tradescantia*, intracellular amounts of nucleic acids and protein, 383
Pregnancy, starvation, age, and sex, influence on cytoplasmic ribonucleoproteins of rat liver, 771
Pregnant uterus of rabbit, smooth muscle, electron microscopy, 609
Prophase, meiotic, of chromosomes, relation between axial complex and chromosome pairing in *Plethodon cinereus*, 633
Protein and nucleic acid turnover in mammalian neuraxis, autoradiography, 785
— and nucleic acids, intracellular amounts during pollen grain growth in *Tradescantia*, 383
— synthesis in nucleated and enucleated fragments of *Acetabularia*, effect of ribonuclease, 119
Protein-bound α-acylamido carboxyl groups, histochemistry, 169
Proteins of cell fractions, *in vivo* incorporation of leucine-1-C^{14}, in guinea pig pancreas, cytochemistry, 557
Protoplasts, *Bacillus megaterium*, cytology and chemistry of growth, 257
Pyridine, diphospho-, nucleotide, diaphorase, histochemistry, 29
—, diphospho- and triphospho-, nucleotide, diaphorase, cytochemistry, 747
— nucleotide–linked dehydrogenases, cytochemistry, 753

RABBIT ear cartilage, normal, electron microscopy, 401
—, pregnant uterus, smooth muscle, electron microscopy, 609
—, submicroscopic organization of retinal cones, 743
—, taste buds, electron microscopy, 143
Radiation-induced chromosome exchanges, factors limiting number, distance evident from noninteraction of x-ray– and neutron-induced breaks, 365
Radioactive carbon, adenine and orotic acid labelled with, uptake into nuclear deoxypentosenucleic acid of non-dividing cells of adult feline neuraxis, 664
Radioactive carbon–labelled leucine, *in vivo* incorporation into proteins of cell fractions in guinea pig pancreas, 557
Radioautographic study of nucleic acid and protein turnover in mammalian neuraxis, 785
Rana pipiens, spinal ganglion cells, after injection of malononitrile, electron microscopy, 83
Rat, albino, fine structure of rod-bipolar cell synapse in retina, 459
—, brown adipose tissue and liver, mitochondria isolated from, 287
— and kitten cerebellum, newborn, patterns of growth, myelin formation, maintenance, and degeneration in cultures of, 499
— liver, frozen-dried, basophile substances, electron microscopy, 291
— liver, influence of age, sex, pregnancy, and starvation on cytoplasmic ribonucleoproteins, 771
— liver, intracellular distribution of 5′-nucleotidase, 373
— liver, mitochondria isolated from, effect of

synthetic detergents on swelling and adenosinetriphosphatase, 73
Rat and mouse, newborn, fine structure of brown adipose tissue, 685
— muscles, red and white, normal and denervated, histochemistry, 47
—, tissues, colorimetric analysis with *N*,*N*-dimethyl-*p*-phenylenediamine of uptake of intravenously injected horseradish peroxidase, 541
Rete testis and ductuli efferentes of guinea pig, electron microscopy, 219
Reticulum, endoplasmic, in human fetal adrenal, electron microscopy, 659
Retina of albino rat, fine structure of rod-bipolar cell synapse, 459
— of *Pipistrellus abramus*, lamellated body in pigment epithelium cells, 329
—, *Pecten*, derivatives of cilia in distal sense cells, 227
Retinal cones of rabbit, submicroscopic organization, 743
— structure, *Octopus* and *Sepia*, 835
Rhodanese and arginase activities of cell strains after long cultivation *in vitro*, 567
Ribonuclease, effect on protein synthesis in nucleated and enucleated fragments of *Acetabularia*, 119
Ribonucleic acid, deoxy-, contained in plasms, phage deoxyribonucleic acid compared with normal bacterial nucleoids, electron microscopy, 671
— acid, deoxy-, effect of hydrochloric acid hydrolysis on retention of thymidine, 701
— acid, deoxy-, in *Escherichia coli*, localization, 491
— acid, deoxy-, macromolecules, morphology, electron microscopy, 1
— acid, deoxy-, and methyl green, reaction, 663
— acid, deoxy-, nuclear, of non-dividing cells in adult feline neuraxis, uptake of adenine-8-C^{14} and orotic-6-C^{14} acid, 664
— acid, metabolically distinct types in chromatin and nucleoli, 5
Ribonucleoproteins, cytoplasmic, of rat liver, influence of age, sex, pregnancy, and starvation, 771
Rod-bipolar cell synapse, in retina of albino rat, fine structure, 459
Roentgen ray– and neutron-induced breaks, noninteraction of, relation of distance to radiation-induced chromosome exchanges, 365
Roots of *Zea mays*, biochemical and cytological changes accompanying growth and differentiation, 87
—, *Vicia faba*, antimetabolite activity of 5-hydroxyuracil, cytology, 793

SALAMANDER, *Plethodon cinereus*, relation between axial complex of meiotic prophase chromosomes and chromosome pairing, 633
Scanning and two-wave-length microspectrophotometry, comparison, 707
Schmidt-Lantermann clefts and related shearing defects of myelin sheath, ultrastructure, 39
Sea urchin eggs during first cleavage, sulfhydryl groups, cytochemistry, 615
Sectioning, thin, and electron microscopy, study of cultured cells, 115
Sections of osmium-fixed, methacrylate-embedded tissue, staining method, 327
—, thin, method for reducing compression artifacts, 345
—, thin, thickness and physical distortion produced during microtomy, 233
—, tissue, staining with heavy metals for electron microscopy, 475
—, tissue, staining with heavy metals for electron microscopy, solutions with lead and barium, 727
—, ultrathin, water-permeable, for electron microscopy, double embedding method, 331
Sepia, retinal structure, 835
Sex, pregnancy, starvation, and age, influence on cytoplasmic ribonucleoproteins of rat liver, 771
Sheath, myelin, shearing defects of, related to ultrastructure of Schmidt-Lantermann clefts, 39
Sheaths, neuroglia, nerve cells and fibers, of ganglion chain in *Periplaneta americana*, fine structure, 731
Shell formation, electron microscopy of crystal growth of nacreous layer of *Crassostrea virginica*, 281
— formation, submicroscopic structure of shell of *Crassostrea virginica*, 275
Silver impregnation for electron microscopy, 841
Sinus gland, *Gecarcinus lateralis*, fine structure, 571
Snail, *Cipangopaludina malleata*, spermatozoon dimorphism, electron microscopy, 621
Solute transfer in vascular endothelium, 319
Spectrophotometry, micro-, scanning and two-wave-length, comparison, 707
—, micro-, two-wave-length method, extension based on photographic color transparencies, 425
—, micro-, two-wave-length method, tables for calculation, 415
—, micro-, two-wave-length method, tests on model systems, 407
Spermatid nucleus in grasshopper, 479

Spermatocyte, crayfish, basophilic lamellar systems, 267
Spermatogenesis, electron microscopy, spermatozoon dimorphism in *Cipangopaludina malleata*, 621
Spermatozoon dimorphism in *Cipangopaludina malleata*, electron microscopy, 621
Spermiogenesis, grasshopper, submicroscopic organization of nucleus, 129
Spinal ganglion cells of *Rana pipiens* after injection of malononitrile, electron microscopy, 83
Spores and parasporal bodies of *Bacillus laterosporus*, morphology and chemistry, 639
Staining method for sections of osmium-fixed, methacrylate-embedded tissue, 327
— of tissue sections with heavy metals for electron microscopy, 475
— of tissue sections with heavy metals for electron microscopy, solutions with lead and barium, 727
Starvation, age, sex, and pregnancy, influence on cytoplasmic ribonucleoproteins of rat liver, 771
Stentor polymorphus, fine structure and function, 807
Submicroscopic organization of nucleus during spermiogenesis in grasshopper, 129
— organization of retinal cones of rabbit, 743
— structure of shell of *Crassostrea virginica*, 275
Sulfhydryl concentration during microsporocyte meiosis in anthers of *Lilium* and *Trillium*, 157
— groups of sea urchin eggs during first cleavage, cytochemistry, 615
Synapse, cell, rod-bipolar, in retina of albino rat, fine structure, 459

TASTE buds of rabbit, electron microscopy, 143
Taurine, Lotmar-Picken substance, 489
Testicular cells, cytoplasmic membranes of, phase contrast and electron microscopy, 135
Testis, rete, and ductuli efferentes of guinea pig, electron microscopy, 219
Tetrahymena pyriformis, conjugating, fine structure of pellicle in contact area, 839
Thymidine, effect of hydrochloric acid hydrolysis on retention in deoxyribonucleic acid, 701
— incorporation, in cytoplasm of *Amoeba proteus*, 843
Thymus, calf, composition, comparison of differential centrifugation and chemical fractionation procedures, 717
Tissue, adipose, brown, fine structure, in newborn mouse and rat, 685
Tissue, adipose, brown, and liver, of rat, mitochondria isolated from, 287
— cells, culture, for electron microscopy, use of carbon films, 231
— culture, cellophane-strip technique for multipurpose culture chambers, 761
—, osmium-fixed, methacrylate-embedded, staining method for sections, 327
—, rat, colorimetric analysis with *N*,*N*-dimethyl-*p*-phenylenediamine of uptake of intravenously injected horseradish peroxidase, 541
— sections, staining with heavy metals for electron microscopy, 475
— sections, staining with heavy metals for electron microscopy, solutions with lead and barium, 727
Tobacco mosaic virus, tobacco leaf infected with, pathological cytology, 831
Tokophrya infusionum, contractile vacuole, electron microscopy, 195
Tradescantia, intracellular amounts of nucleic acids and protein during pollen grain growth, 383
Transparencies, color, photographic, use in modification of two-wave-length method of microspectrophotometry, 425
Trillium and *Lilium* anthers, sulfhydryl concentration during microsporocyte meiosis, 157
Triphosphopyridine nucleotide diaphorase, cytochemistry, 747
— nucleotide diaphorase, localization, histochemistry, 467
Tubule, kidney, cells, adenosinetriphosphatase activity in cell membranes, 765
Turtle atrium, fine structure, 63
Tymbal and flight muscles, of cicada, neuromuscular junctions, 251

ULTRASTRUCTURE of brush border of kidney of normal mouse, 335
—, *Paracentrotus lividus*, fertilized unsegmented egg, cytochemical localizations, 575
—, Schmidt-Lantermann clefts and related shearing defects of myelin sheath, 39
Uracil, 5-hydroxy-, antimetabolite activity in *Vicia faba* roots, cytology, 793
Uterus, pregnant, of rabbit, smooth muscle, electron microscopy, 609

VACUOLE, contractile, in ameba, fine structure, 485
—, contractile, in *Tokophrya infusionum*, electron microscopy, 195
Vascular endothelium, solute transfer, 319
Vicia faba and *Allium cepa*, nucleoli, particulate component, 229

Vicia faba and *Allium cepa*, structure and mode of formation of nucleolus in meristematic cells, 777
— roots, antimetabolite activity of 5-hydroxyuracil, cytology, 793
Virus, poliomyelitis, fine structure of changes produced in cultured cells during single growth cycle, 301
—, tobacco, mosaic, tobacco leaf infected with, pathological cytology, 831

WALLERIAN degeneration, early changes in axoplasm, 551
Wasp leg, peripheral nerves and neuromuscular junctions, electron microscopy, 107
Water-permeable sections, ultrathin, for electron microscopy, double embedding method, 331
Wave-length, two-, method of microspectrophotometry, tables for calculation, 415
—, two-, method of microspectrophotometry, tests on model systems, 407
—, two-, microspectrophotometry, extension of method based on color transparencies, 425
—, two-, and scanning, microspectrophotometry, comparison, 707

X-RAY. *See* Roentgen ray.

ZEA *mays*, roots, biochemical and cytological changes accompanying growth and differentiation, 87